

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA804583

ADAMTS1 Mouse Monoclonal Antibody [Clone ID: OTI4F3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4F3
Applications: WB

Reactivity: WB 1:2000
Host: WB 1:2000
Mouse

Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 412-644 of human

ADAMTS1 (NP_008919) produced in E.coli.

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 100.3 kDa

Gene Name: ADAM metallopeptidase with thrombospondin type 1 motif 1

Database Link: NP 008919 Entrez Gene 9510 Human

Background: This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with

thrombospondin motif) protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The protein encoded by this gene contains two disintegrin loops and three C-terminal TS motifs and has

anti-angiogenic activity. The expression of this gene may be associated with various

inflammatory processes as well as development of cancer cachexia. This gene is likely to be necessary for normal growth, fertility, and organ morphology and function. [provided by

RefSeq, Jul 2008]


Synonyms: C3-C5; METH1





Protein Families: Druggable Genome, Protease, Secreted Protein

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ADAMTS1 ([RC205984], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ADAMTS1. Positive lysates [LY416271] (100ug) and [LC416271] (20ug) can be purchased separately from OriGene.