

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA807389

ANGPTL3 Mouse Monoclonal Antibody [Clone ID: OTI5E6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5E6
Applications: IHC, WB

Recommend Dilution: WB 1:2000, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 237-460 of human

ANGPTL3(NP_055310) produced in E.coli.

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 51.4 kDa

Gene Name: angiopoietin like 3

Database Link: NP 055310 Entrez Gene 27329 Human

Background: This gene encodes a member of a family of secreted proteins that function in angiogenesis.

The encoded protein, which is expressed predominantly in the liver, is further processed into an N-terminal coiled-coil domain-containing chain and a C-terminal fibrinogen chain. The N-terminal chain is important for lipid metablism, while the C-terminal chain may be involved in

angiogenesis. Mutations in this gene cause familial hypobetalipoproteinemia type 2.

[provided by RefSeq, Feb 2013]


Synonyms: ANG-5; ANGPT5; ANL3; FHBL2

Protein Families: Druggable Genome, Secreted Protein






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ANGPTL3 ([RC208867], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ANGPTL3. Positive lysates [LY402339] (100ug) and [LC402339] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-ANGPTL3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA807389)





Immunohistochemical staining of paraffinembedded Carcinoma of Human pancreas tissue using anti-ANGPTL3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA807389)